

SAMPLE NAME: Mixed

Matrix: Concentrates & Extracts | Type: Wax

CULTIVATOR/MANUFACTURER

Business Name: 42Days

License: CCD-2023-0261

Address: 1302 W. Ave Q, Lovington, NM 88260

Date Collected: 03/20/2026

Date Received: 03/20/2026

Batch Size:

Sample Size: 1 units



Scan QR code to verify authenticity of results.

SAMPLE DETAIL

Batch Number: 6243 5881 8631 8188

Sample ID: 26ARG03100.002

Cannabinoids Test Results

Complete

80.804%	ND	91.270%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.19	0.61	85.090	850.90
Δ9-THC	0.20	0.63	6.180	61.80
Δ8-THC	0.11	0.35	ND	ND
THCV	0.19	0.60	ND	ND
CBDa	0.10	0.30	ND	ND
CBD	0.09	0.29	ND	ND
CBDV	0.16	0.51	ND	ND
CBN	0.16	0.50	ND	ND
CBGa	0.13	0.41	ND	ND
CBG	0.16	0.50	ND	ND
CBC	0.18	0.59	ND	ND
Total THC			80.804	808.040
Total CBD			ND	ND
Total			91.270	912.70

Date Tested: 03/24/2026

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
HPLC-DAD ; Method:SOP ID: ABQ-CN-04

NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Visual Inspection
---	---	----------------------------------



Hiram Cueto

Hiram Cueto
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.

Microbials Test Results

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus	Detected in 1g	Absent	Pass
Aspergillus fumigatus	Detected in 1g	Absent	Pass
Aspergillus niger	Detected in 1g	Absent	Pass
Aspergillus terreus	Detected in 1g	Absent	Pass
Salmonella SPP	Detected in 1g	Absent	Pass
Shiga Toxin E. Coli	Detected in 1g	Absent	Pass

PCR + Fluorescence Detection ; Method: SOP ID: ABQ-MIC-07

VISUAL INSPECTION

Analyte	Limit	Result	Status
Total Sample Area Covered By Sand, Soil Or Dirt	≤2%/gram	Not Detected	Pass
Insect Fragment Count	<1/gram	Not Detected	Pass
Mammalia Excreta Count	≤1/gram	Not Detected	Pass
Total Sample Area Covered By Mold	≤2%/gram	Not Detected	Pass
Hair Count	<1/gram	Not Detected	Pass

Date Tested: 03/20/2026
Microscopic Inspection Method: SOP ID: ABQ-VI-01



Hiram Cueto

Hiram Cueto
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
 1412 Broadway Boulevard, NE
 Albuquerque, NM 87102
 3 of 4

(505) 242-4210
<http://www.argonlabsnm.com>
 Lic# CCD-2022-TEST-0001

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS
 OVERALL BATCH RESULTS: ● **Pass**
 DATE ISSUED: 03/27/2026

Residual Solvents Test Results

Pass

Analyte	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	228.30	5000.00	ND	Pass
Benzene	0.87	2.00	ND	Pass
Ethanol	342.90	5000.00	ND	Pass
Heptane	332.40	5000.00	ND	Pass
Hexanes	47.10	290.00	ND	Pass
Isobutane	317.10	5000.00	ND	Pass
Isopropanol	289.20	5000.00	ND	Pass
Methanol	389.40	5000.00	ND	Pass
n-Butane	279.30	5000.00	ND	Pass
n-Pentane	367.50	5000.00	ND	Pass
Propane	253.50	5000.00	ND	Pass
Toluene	15.90	890.00	ND	Pass
Xylenes + Ethyl Benzene	9.90	2170.00	ND	Pass

Headspace GC-FID ; Method: SOP ID: ABQ-RS-05



Hiram Cueto

Hiram Cueto
 Laboratory Director
 03/27/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.

Pesticides Test Results

Pass

Analyte	LOQ PPM	Limit PPM	Result PPM	Status
Abamectin	0.100	0.100	ND	Pass
Acequinocyl	0.500	2.000	ND	Pass
Bifenazate	0.100	0.200	ND	Pass
Bifenthrin	0.100	0.100	ND	Pass
Etoxazole	0.100	0.100	ND	Pass
Imazalil	0.100	0.100	ND	Pass
Imidacloprid	0.100	0.100	ND	Pass
Myclobutanil	0.100	0.100	ND	Pass
Paclobutrazol	0.040	0.040	ND	Pass
Piperonyl Butoxide	0.500	3.000	ND	Pass
Pyrethrins	0.500	0.500	ND	Pass
Spinosad	0.100	0.100	ND	Pass
Spiromesifen	0.100	0.100	ND	Pass
Spirotetramat	0.100	0.100	ND	Pass
Trifloxystrobin	0.020	0.020	ND	Pass

UHPLC/LCMSMS ; Method: SOP ID: ABQ-PST-08



Hiram Cueto

Hiram Cueto
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.